

Notice of Allowability

Application No.

10/766,722

Examiner

Basil Katcheves

Applicant(s)

JOHNSON, RALPH O.

Art Unit

3635

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to phone conversation of 8/18/06.
2. ☒ The allowed claim(s) is/are 2,3,7-9,12-15.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☒ Examiner's Amendment/Comment
8. ☐ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

Basil Katcheves
BASIL KATCHEVES
PRIMARIAL EXAMINER
AU 3635

8/21/06

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Stephen Ashley on 8/18/06.

The application has been amended as follows:

Claim 2

Line 1:

Delete [connecting bracket] and replace with masonry anchor

Claim 3

Line 1:

Delete [connecting bracket] and replace with masonry anchor

Claim 9

Line 1:

Delete [connecting bracket] and replace with masonry anchor

Line 2:

Delete [each of the first and second connectors comprises an eye] and replace with the masonry anchor is attached to the support member by welding the first and second welding points to the support member

Claim 12

Line 1:

Delete [connecting bracket] and replace with masonry anchor

Line 2:

Delete [first and second connectors are coplanar with the first and second arms and the cross member] and replace with support member comprises an elongate wire

Claim 13

Line 1:

Delete [connecting bracket] and replace with masonry anchor

Claim 14

Line 1:

Delete [connecting bracket for use in a]

Line 2:

Insert (a) a connecting bracket comprising: after "comprising:"

Art Unit: 3635

Line 3:

Delete [a] and replace with i

Line 6:

Delete [b] and replace with ii

Line 8:

Insert , the first connector comprising an eye sized and shaped to receive a complimentary connecting member between "thereon" and ";

Line 9:

Delete [c] and replace with iii

Line 11:

, the second connector comprising an eye sized and shaped to receive a complimentary connecting member between "thereon" and ";

Line 12:

Delete [d] and replace with iv

Line 14:

Insert , and further wherein the first and second connectors lie substantially flat on a common plane with the cross member, the first arm and the second arm; and (b) a support member for being embedded in a mortar joint of the first wall, wherein the connecting bracket is attached to the support member by attachment of the first and second welding points to the support member, and the support member and the masonry anchor reside in the common plane between "member" and "."

Claim 15

Line 1:

Delete [connecting bracket] and replace with masonry anchor

Line 2:

Delete [first and second connections comprise first and second eyes that are substantially coplanar with the cross member and the first and second arms] and replace with support member comprises a support frame having at least two elongate wires connected by a plurality of transverse wires

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Basil Katcheves whose telephone number is (571) 272-6846. The examiner can normally be reached on 7:30am - 4:00pm.

Art Unit: 3635

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Naoko Slack can be reached on (571) 272-6848. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

BK
8/21/06


Basil Katcheves
Primary Examiner, AU 3635